

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

SANTE 11183-2018 Rev.4

ANNEX

to the

COMMISSION REGULATION (EU) No .../...

amending Regulation (EC) No 1881/2006 as regards maximum levels of perfluoroalkyl substances in certain foodstuffs.

ANNEX

The following section is added:

‘Section X: Perfluoroalkyl substances [*Publication office please add the section number, which follows the last available section number*]

		Maximum Levels µg/kg wet weight				
Foodstuffs ⁽¹⁾		PFOS*	PFOA*	PFNA*	PFHxS*	Sum of PFOS, PFOA, PFNA and PFHxS* **
X.1	Eggs	1,0	0,30	0,70	0,30	1,70
X.2	Fishery products ²⁶ and bivalve molluscs ²⁶					
X.2.1	Fish meat ^{24, 25}					
X.2.1.1	Muscle meat of fish except those listed under X.2.1.2 and X.2.1.3. Muscle meat of fish listed in X.2.1.2 and X.2.1.3 in case they are intended for the	2,0	0,20	0,50	0,20	2,0

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

	production of food for infants and young children.					
X.2.1.2	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children.: Baltic herring (<i>Clupea harengus membras</i>) Bonito (<i>Sarda</i> and <i>Orcynopsis species</i>) Burbot (<i>Lota lota</i>) European sprat (<i>Sprattus sprattus</i>) Flounder (<i>Platichthys flesus</i> and <i>Glyptocephalus cynoglossus</i>) Grey mullet (<i>Mugil cephalus</i>) Horse mackerel (<i>Trachurus trachurus</i>) Pike-perch (<i>Sander species</i>), Plaice (<i>Pleuronectes</i> and <i>Lepidopsetta species</i>) Sardine and pilchard (<i>Sardina species</i>) Seabass (<i>Dicentrarchus species</i>) Sea catfish (<i>Silurus</i> and <i>Pangasius species</i>) Sea lamprey (<i>Petromyzon marinus</i>) Tench (<i>Tinca tinca</i>) Vendace (<i>Coregonus albula</i> and <i>Coregonus vandesius</i>) Silverly lightfish (<i>Phosichthys argenteus</i>) Wild salmon (wild <i>Salmo salar</i>) Wolf fish (<i>Anarchichas species</i>)	7,0	1,0	2,5	0,20	8,0
X.2.1.3	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children: Anchovy (<i>Engraulis species</i>) Babel (<i>Barbus barbus</i>) Bream (<i>Abramis species</i>) Char (<i>Salvelinus species</i>) Eel (<i>Anguilla species</i>) Perch (<i>Perca flubiatilis</i>) Roach (<i>Rutilus rutilus</i>) Smelt (<i>Osmerus species</i>) Whitefish (<i>Coregonus species</i>)	35,0	8,0	8,0	1,5	45,0

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

X.2.2	Crustaceans ²⁶ and bivalve molluscs ²⁶ For crustaceans the maximum level applies to muscle meat from appendages and abdomen. In the case of crabs and crab-like crustaceans (<i>Brachyura</i> and <i>Anomura</i>) it applies to the muscle meat of the appendages and the white meat of the abdomen.	3,0	0,70	1,0	1,5	5,0
X.3	Meat and edible offal ⁶					
X.3.1	Meat of bovine animals, pig and poultry	0,30	0,80	0,20	0,20	1,30
	Meat of sheep	1,0	0,20	0,20	0,20	1,6
X.3.2	Offal of bovine animals, sheep, pig and poultry	6,0	0,70	0,40	0,50	8,0
X.3.3	Meat of game animals, with the exception of bear meat.	5,0	3,50	1,50	0,60	9,0
X.3.4	Offal of game animals, with the exception of bear offal.	50	25	45	3,0	50

* *The maximum level applies to the sum of linear and branched stereoisomers, whether they are chromatographically separated or not.*

** *For the sum of PFOS, PFOA, PFNA and PFHxS lower bound concentrations are calculated on the assumption that all the values below the limit of quantification are zero.*